

**CAUTION**  
**KEEP OUT OF REACH OF CHILDREN**  
**READ SAFETY DIRECTIONS**

**INTRIGUE™ TERMITE DUST**

Active Constituent: 800 g/kg TRIFLUMURON

**10g NET**

NOT TO BE SOLD SEPARATELY  
BEFORE USE READ ALL DIRECTIONS ON THE OUTER PACK



NRA Approval No 51839/0300

**CAUTION  
KEEP OUT OF REACH OF CHILDREN  
READ SAFETY DIRECTIONS**

**INTRIGUE™**



**TERMITE DUST**

Active Constituent: 800 g/kg TRIFLUMURON

**For the control of subterranean termite colonies**

**To be used by licensed pest management technicians only**

*(termite pictograms)*

**50g NET**

**Contains 5 measure packs which it is illegal to sell separately**

**100g NET**

**Contains 10 measure packs which it is illegal to sell separately**

## INTRIGUE™ TERMITE DUST

### DIRECTIONS FOR USE (All States and Territories except TAS)

Situation	Pest	Rate	Critical Comments
Termite nests (trees, stumps, posts, mounds, cavities)	Subterranean termites <i>Coptotermes</i> spp., <i>Schedorhinotermes</i> spp., <i>Nasutitermes</i> spp	5-10 g per nest	Drill several holes into the nest and apply Intrigue Dust using a hand blower or powered equivalent. Ensure adequate penetration by applying dust to all active holes. If there is no decline in nest temperature or activity within 3 months, re-apply Intrigue dust. Seal holes in trees with a suitable caulking compound after dusting.
Termite activity when nest location not known e.g. active workings, in timber on ground or in aggregation devices.		5 g per 100 mL of termites	Dust as many termites as possible, minimising the amount of stress and disturbance. The colony may take more than 3-12 months to be eradicated. Re-apply if termite activity has not declined within 3 months. Several applications may be required to eradicate larger colonies.

**NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.**

#### General Instructions

Treat as many termites as possible – 100 mL minimum. Depending on species, 100 mL of termites is equivalent to around 15,000 workers. Treat infested timbers (where termites are feeding); do not treat leads (use these for monitoring). Treat as many active galleries as possible. Aggregation containers are beneficial in increasing the number of termites that can be treated.

Termites of mottled appearance, observed at inspections after earlier dust treatment, are probably suffering the effects of triflumuron. This may appear within a month with *Schedorhinotermes* spp but only after three months with *Coptotermes* spp.

To accelerate colony decline dust termites each time significant activity is found (e.g. as often as one monthly intervals even if termites exhibit strong mottled symptoms).

When a structure is under heavy attack it is recommended that a termiticidal barrier or treated zone, such as Premise 200SC Termiticide, be applied at least one week after Intrigue application. Aggregation devices, when used as a supplementary treatment to a soil barrier treatment, should be placed external to the treated area.

Caution Eradication/control of one termite colony does not guarantee that the structure is protected from attack by other colonies in the area. It is important that regular inspections be carried out at least annually by a competent person such as a licensed Pest Management Technician.

*The information above this line is not included in the label*

## PROTECTION OF LIVESTOCK, WILDLIFE, FISH, CRUSTACEA AND ENVIRONMENT

This product is very toxic to aquatic invertebrates. Do **NOT** contaminate streams, rivers, or waterways with this product or used containers.

## STORAGE AND DISPOSAL

### Do not destroy carton while product still remains.

Store in the closed, original container in a cool, well ventilated area. Do not store for prolonged periods in direct sunlight. Shake and completely empty contents into dusting equipment. Do not dispose of unused chemicals on-site. Break crush and bury empty containers in a local authority landfill. If not available, bury the containers below 500 mm in a disposal pit specifically marked and set up for this purpose clear of waterways, vegetation and roots. Empty containers and product should not be burnt.

## SAFETY DIRECTIONS

When opening the container and using the product wear cotton overalls buttoned to the neck and wrist (or equivalent clothing), elbow length rubber gloves and a disposable dust mask. After each day's use wash gloves and contaminated clothing.

## FIRST AID

If poisoning occurs contact a doctor or Poisons Information Centre. Phone 131126. Additional information is listed in the Material Safety Data Sheet.

**Notice:** Purchaser assumes all risk of use and handling where the product is not used in accordance with directions given.

Bayer Australia Ltd  
ACN 000 138 714  
875 Pacific Highway  
Pymble NSW 2073



*(APN Barcode)*

NRA Approval No 51839/0300

Batch No

DOM

**INTRIGUE™**



**TERMITE DUST**