

MAIN PANEL

**KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE OPENING OR
USING**



Maxforce[®] Quantum

Liquid Ant Bait

ACTIVE CONSTITUENT: 0.3 g/L IMIDACLOPRID

A ready to use viscous liquid bait for the management of certain pest ants.
Bait remains palatable to ants for 8 weeks after application.

APVMA Approval No.: 64123/120g/0110

**Contents:
120 g NET**

In NZ - APPROVED PURSUANT TO THE HSNO ACT 1996, NO. HSR100039

See www.ermanz.govt.nz for approval controls

HSNO CLASSIFICATIONS: 9.1C, 9.4B

WARNING: Harmful to aquatic life with long lasting effects.

Toxic to terrestrial invertebrates.

ANCILLARY PANEL

SAFETY DIRECTIONS: Wash hands after use.

FIRST AID: If poisoning occurs, contact a doctor or Poisons Information Centre (Phone Australia: 13 11 26; New Zealand 0800 764766).

STORAGE AND DISPOSAL:

Store in the closed, original container in a dry, cool, well-ventilated area out of direct sunlight. Dispose of empty packaging by wrapping in paper, placing in plastic bag and putting in garbage.

PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND THE ENVIRONMENT:

DO NOT contaminate ponds, waterways or drains with the product or used containers.

PROTECTION OF DOMESTIC ANIMALS:

Do not apply in areas accessible to domestic animals.

MATERIAL SAFETY DATA SHEET

Additional information is listed in the material safety data sheet.

Exclusion of Liability

This product must be used strictly as directed, and in accordance with all instructions appearing on the label and in other reference material. So far as it is lawfully able to do so, Bayer CropScience Pty Ltd accepts no liability or responsibility for loss or damage arising from failure to follow such directions and instructions.

Maxforce® is a Registered Trademark of Bayer.

EMERGENCY CONTACT AUSTRALIA FOR 24 HOUR SPECIALIST ADVICE IN EMERGENCY ONLY: PHONE 1800 033 111	EMERGENCY CONTACT NEW ZEALAND SPECIALIST ADVICE IN EMERGENCY ONLY DIAL 0800 734607 NEW ZEALAND-WIDE
--	--

Bayer Environmental Science
A Business Operation of Bayer CropScience Pty Ltd
A.B.N. 87 000 226 022
391-393 Toorong Rd
East Hawthorn, Vic. 3123
Telephone: 03 9248 6888
Technical Enquiries: 1800 804 479
Freecall NZ: 0800 227 012
www.bayeres.com.au

BAR CODE

BATCH NO:

DATE OF MANUFACTURE

ANCILLARY PANEL (contd)

DIRECTIONS FOR USE**RESTRAINTS:**

DO NOT place in exposed areas accessible to children, pets and other animals.

DO NOT allow to contact food, livestock feed or their water.

SITUATION	PEST	RATE	CRITICAL COMMENTS
In and around domestic, commercial and institutional buildings: (eg. hospitals, health and aged care facilities, food processing areas, offices, houses and schools).	Nuisance ants, including; Black house ant (<i>Ochetellus glaber</i>) Ghost Ant (<i>Tapinoma melanocephalum</i>) Argentine ants (<i>Linepithema humile</i>) Pharaoh's ant (<i>Monomorium pharaonis</i>) White footed house ants (<i>Technomyrmex albipes</i>)	0.2 g or 200 mg/m ² (equivalent to one pea-sized drop or a number of smaller drops). Use sufficient number of baiting points to maximise bait uptake. The greater the number of baiting points the greater the chance of control since more ants will be able to access the bait. The number of bait locations and actual volume of bait required will depend on the level of infestation. Maintain sufficient bait levels until ant activity has ceased. Since Maxforce Quantum has been shown to remain palatable to ants for eight weeks after treatment replenishment of bait may not be necessary if adequate quantities are placed at the first visit.	Place bait on non-porous horizontal surfaces or in bait stations at intervals along ant trails and/or where ants are seen. Place securely in areas where bait will not be disturbed or contaminated by cleaning or work activities. Bait effectiveness will be optimised if other possible sources of food are eliminated. Use sufficient number of baiting points to maximise bait uptake. The greater the number of baiting points the greater the chance of control since more ants will be able to access the bait. Refer to General Instructions for additional information.

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION

General Instructions

Ants are attracted to this bait and greater numbers of ants will be seen around the bait for some time after placement. An effect on the ant population can be expected within 7 days, when frequency of foragers will decline. Most nests are eliminated within 14 days. However, under some circumstances like very high ant numbers or re-invasion, total control may take up to 2 months. Under such circumstances the use of an integrated management program utilising other control methods (eg. outdoor barrier sprays) may also be warranted. (Note that if accurate ant identification has not been performed and the pest ants are not observed feeding on this bait within minutes after placement then it is likely that alternative management techniques may be required).

When used in outdoor areas it is recommended that Maxforce Quantum be applied on non-porous surfaces to prevent absorbance into the surface. It is also recommended to protect bait from the elements and non-target animals (eg. through the use of bait stations).

Bait may be removed from non-porous surfaces by wiping with a damp cloth.

COMPATIBILITY:

DO NOT use in a direct mix with any other products.