

READ SAFETY DIRECTIONS BEFORE OPENING OR USING



PERMETHRIN D

PROFESSIONAL INSECTICIDE DUST

ACTIVE CONSTITUENT: 10g/Kg PERMETHRIN 25:75

For the control of Cockroaches, Ants, Fleas, Termites, European Wasps
and other insects in certain situations as per Directions for Use.

NET CONTENTS KG



BARMAC INDUSTRIES PTY LTD

14 Annie Street, ROCKLEA. QLD 4106

Batch Number

Date of manufacture

NRA Approval No. 49084/0600

DIRECTIONS FOR USE

SITUATION		PEST	RATE	CRITICAL COMMENTS
DOMESTIC, INDUSTRIAL & INSTITUTIONAL PREMISES	Food preparation & storage areas	Cockroaches, Silverfish	10g/m ² applied with a powder blower	Blow powder into cracks and crevices. Attention should be given to areas where insects congregate ie. warm, dark areas and around heat sources (stoves, radiators, fireplaces etc).
		Ants		Sprinkle powder around nests and along routes. When ants are invading houses treat the areas where they are entering the premises.
	Living & sleeping areas	Fleas		Dust powder directly into carpets & brush into pile. Also treat areas where flea larvae may develop.
		Bedbugs		Apply to bedroom furniture and mattresses as well as to any cracks, crevices or areas where insects may hide
ROOF VOIDS , WALL AND FLOOR VOIDS, CRAWL SPACES		Cockroaches, Silverfish, Ants, Fleas, Spiders and Bird mites (Ornithonyssus spp)		Blow dust into all void areas, ensuring all surfaces are thoroughly treated. Repeat application if re-infestation occurs. Remove all birds nests and introduce physical bird barriers to prevent reinfestation of bird mites.
MUSHROOM BEDS		Mushroom Sciarid Flies		Dust mushroom beds when necessary. Do not apply more than twice per week. Discontinue use when mushrooms reach the size of a ten cent piece. Do not apply later than 3 days before harvest.
SKIN & HIDE PREPARATION		Hide Beetles (Dermestes ater)		a) Dust skins while on drying racks b) Dust the edges of dried baled skins.
SEED POTATOES		Potato moth (Phthorimaea operculella)	600g/Tonne or 30g/50kg bag of seed potato	Apply dust while filling storage containers. Treated seed potatoes must only be used for sowing. Do not use as food or feed. Store treated seed potatoes away from other potatoes, food or feed. Mark bags or containers where treated seed potatoes are stored indicating that the potatoes have been treated.
TREES & STUMPS		Subterranean Termites (Coptotermes spp)	250g/tree	Drill 3 holes in infested tree of no more than 12mm diameter. Apply dust directly to the nest using a carbon dioxide gas cylinder and a trigger gun. After treatment, holes should be coated carefully with an appropriate fungicide and sealed with a suitable caulking compound.
WASP NESTS (All states except QLD & SA)		European wasps	125g to 250g per nest	Apply dust through the entrance holes using a hand duster. Amount used is dependant on the size of the nest and number of entrance holes. Treat at night when wasps are least active. Operators should wear appropriate protective clothing to prevent wasp attacks (long sleeved overalls buttoned at wrist and throat, gloves, head covering and a bee veil).

NOT TO BE USED FOR ANY PURPOSE OR IN ANY MANNER CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.

WITHOLDING PERIOD - MUSHROOMS. DO NOT APPLY LATER THAN 3 DAYS BEFORE HARVEST.

GENERAL INSTRUCTIONS

Barmac Permethrin D Professional Insecticide Dust is a ready to apply formulation and requires no further dilution. This product should not be mixed with other products. Powder should be left undisturbed for as long as possible.

PRECAUTION: Avoid contact with food, food utensils, or places where food is prepared or stored. Before use, remove or cover all exposed foodstuffs. Cover all dishes and utensils and places where food is prepared or stored.

PROTECTION OF WILDLIFE, FISH, CRUSTACEA AND ENVIRONMENT: Dangerous to fish. DO NOT contaminate streams, rivers, drains or waterways with the chemical or used container. Cover fish tanks prior to using product.

STORAGE AND DISPOSAL: Store in the closed original container in a dry, cool, well-ventilated area out of direct sunlight. Triple or pressure rinse bag before disposal. Dispose of rinsings in a disposal pit specifically marked and set up for this purpose, clear of waterways, desirable vegetation and roots. Break, crush, or puncture and bury containers in a local authority landfill. If not available bury the containers below 500mm in a disposal pit. Empty containers and product should not be burned.

SAFETY DIRECTIONS: Keep out of reach of children. Avoid contact with the eyes and skin. Avoid inhaling the dust. When using the product wear rubber gloves. Wash hands after use.

FIRST AID: If poisoning occurs, contact a doctor or Poisons Information Centre.

MATERIAL SAFETY DATA SHEET: Additional information is listed on the Material Safety Data Sheet available from Barmac Industries Pty. Ltd.

NOTICE

This information is not intended to replace the product label. Failure to use any product in a manner consistent with the label may be illegal, prove dangerous and render the product ineffective. While every endeavour has been made to ensure that this information is accurate and up to date Barmac Industries Pty Ltd will not accept any responsibility for any use of this product based on the information herewith if this use is inconsistent with the label supplied at the time of purchase.